



7/23/2014

## SAFETY DATA SHEET

MANUFACTURER OR DISTRIBUTOR: **Color Craft, Ltd./Createx Colors /Auto Air Colors**  
14 Airport Park Road East Granby, Connecticut 06026 U.S.A.

INFORMATION TELEPHONE NUMBER: 800-243-2712  
EMERGENCY TELEPHONE NUMBER: 800-243-2712

### SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: **AUTOBORNE SEALERS** PRODUCT NUMBER: **AUTOBORNE**  
PRODUCT SIZES: **NG**  
BRAND NAME: **AUTOBORNE™** PRODUCT CLASS: **ACRYLIC/POLYMER SEALERS**

### SECTION II - POTENTIAL HEALTH EFFECTS

PERMISSIBLE EXPOSURE LEVEL: SEE SECTION III FOR COMPONENT PEL/TLVs  
PRIMARY ROUTES OF ENTRY: INHALATION, INGESTION, EYE, SKIN  
EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: NONE EXPECTED  
EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED  
CARCINOGEN LISTING: NTP: **NO** IARC: **NO** OSHA: **NO**  
SEE SECTION III FOR COMPONENTS AFFECTED  
MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE

### SECTION III - HAZARDOUS INGREDIENTS

| <u>Ingredient</u>               | <u>CAS #</u> | <u>PEL/TLV<br/>(MG/M#)</u> | <u>Max %<br/>Weight</u> | <u>NTP</u> | <u>IARC</u> |
|---------------------------------|--------------|----------------------------|-------------------------|------------|-------------|
| 1-Methoxy-2-Propanol            | 107-98-2     | n/a                        | 3 -6%                   | n/a        | n/a         |
| 2-Butoxy Ethanol                | 111-76-2     | n/a                        | 1-3%                    | n/a        | n/a         |
| Proprietary in H <sub>2</sub> O |              | n/a                        | 91- 96%                 | n/a        | n/a         |

### SECTION IV - FIRST AID

First Aid Measures: Eye Contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
Ingestion: If conscious, give water to dilute. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

### SECTION V - FIRE FIGHTING MEASURES

FLASH POINT (METHOD): N/A AUTOIGNITION TEMPERATURE: N/A EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

### SECTION VI - SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

## **SECTION VII - HANDLING AND STORAGE**

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

## **SECTION VIII -EXPOSURE CONTROLS**

Respiratory Protection: Respiratory protection is required under normal conditions of anticipated use with adequate ventilation. Wear a NIOSH / MSHA approved respirator.

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): Equipment can be worn to minimize skin contact.

WORK/HYGIENE PRACTICES: NONE REQUIRED ENGINEERING CONTROLS: NONE REQUIRED

When use results in skin contact, wash thoroughly before eating, drinking or smoking.

## **SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

BOILING POINT: N/A MELTING POINT: N/A VAPOR PRESSURE: N/A SPECIFIC VAPOR DENSITY (AIR=1): N/A

SPECIFIC GRAVITY: N/A SOLUBILITY IN WATER: N/A REACTIVITY IN WATER: NON-REACTIVE

VOC Paint 116.59 g/l (0.257 lbs./gal) \*\*\*Sprayed product at 10% reduction with 4012 HPR = 141.30 g/l (0.3115 lbs./gal)

## **SECTION X - STABILITY AND REACTIVITY**

HAZARDOUS POLYMERIZATION PRODUCTS: NONE

STABILITY: STABLE CONDITIONS TO AVOID: NONE

INCOMPATIBILITY (MATERIALS TO AVOID): NONE

HAZARDOUS DECOMPOSITION PRODUCTS: NONE

## **SECTION XI - TOXICOLOGICAL INFORMATION**

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: NONE EXPECTED The summated LD50 is 8359.4 mg/kg. This product is/is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

## **SECTION XII - ECOLOGICAL INFORMATION**

NO HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

## **SECTION XIII - DISPOSAL CONSIDERATIONS**

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE. WASTE

DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

## **SECTION XIV - TRANSPORTATION INFORMATION**

U.S. DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

## **SECTION XV - REGULATORY INFORMATION**

CONTENTS OF THIS MSDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200

EPA SARA TITLE III CHEMICAL LISTINGS  
NONE

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):  
NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):  
NONE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS: 1-METHOXY-2-PROPANOL  
2-BUTOXY ETHANOL

SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN THE STATE OF CALIFORNIA UNDER THEIR SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROPOSITION 65) AS BEING KNOWN TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM:  
1-METHOXY-2-PROPANOL 2-BUTOXY ETHANOL

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT: NONE

## **SECTION XVI - OTHER INFORMATION**

THIS INFORMATION SHEET IS FOR CONSUMER USE ONLY.

## COLOR INFORMATION

THIS MSDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS

### INGREDIENTS

#### **Product Color**

6001 WHITE  
6002 BLACK  
6003 GRAY  
6004 YELLOW  
6005 ORANGE  
6007 LILAC  
6008 BLUE (GS)  
6009 PROCESS BLUE  
6010 GREEN  
6011 TAN  
6012 BURGUNDY

## **BRAND NAMES**

THIS MSDS APPLIES TO THE FOLLOWING BRAND NAMES

**Brand Name SKU**

AUTOBORNE SEALERS